# FACILITY NAME: Coeburn-Norton-Wise Regional Wastewater Treatment Plant VPDES PERMIT NUMBER: VA0077828 VPDES SEWAGE SLUDGE PERMIT APPLICATION FORM

### SCREENING INFORMATION

This application is divided into sections. Sections A pertain to all applicants. The applicability of Sections B, C and D depend on your facility's sewage sludge use or disposal practices. The information provided on this page will help you determine which sections to fill out.

| 1.  | All app  | licants must complete Section A (General Information).   |  |
|---|--|--|--|
| 2.  | Will thi   | is facility generate sewage sludge? XYes No  |  |
|   | Willthi  | is facility derive a material from sewage sludge?Yes _X_No   |  |
|   | •  | unswered Yes to either, complete Section B (Generation Of Sewage Sludge Or Preparation Of A Material From Sewage Sludge).  |  |
| 3.  | Will thi   | is facility apply sewage sludge to the land? X Yes No  |  |
|   | Will se  | wage sludge from this facility be applied to the land? X Yes No  |  |
|   | If you answered No to both questions above, skip Section C.          |  |  |
|   | If you answered Yes to either, answer the following three questions: |  |  |
|   | a.   | Will the sewage sludge from this facility meet the ceiling concentrations, pollutant concentrations, Class A pathogen reduction requirements and one of the vector attraction reduction requirements 1-8, as identified in the instructions? YesX_No |  |
|   | b.   | Will sewage sludge from this facility be placed in a bag or other container for sale or give-away for application to the land?Yes _X_No  |  |
|   | c.   | Will sewage sludge from this facility be sent to another facility for treatment or blending?Yes _X_No  |  |
|   | If you a   | answered No to all three, complete Section C (Land Application Of Bulk Sewage Sludge).   |  |
| If you answered Yes to a, b or c, skip Section C. |  | inswered Yes to a, b or c, skip Section C.   |  |
| 4.  | Do you   | own or operate a surface disposal site?Yes _X_No   |  |
|   | If Yes,  | complete Section D (Surface Disposal).   |  |
|   |  |  |  |

# FACILITY NAME: Coeburn-Norton-Wise Regional Wastewater Treatment Plant VPDES PERMIT NUMBER: VA0077828 SECTION A. GENERAL INFORMATION

All applicants must complete this section.

1.

3.

| Facility | Information.  |
|----------|---|
| a.       | Facility name: Coeburn-Norton-Wise Regional Wastewater Treatment Plant  |
| b.       | Contact person: Mr. James Dayton Stidham  |
|          | Title: Superintendent   |
|          | Phone: (276) 395-5302   |
| c.       | Mailing address:  |
|          | Street or P.O. Box: P.O. Box 1296   |
|          | City or Town: Norton State: Virginia Zip: 24273   |
| d.       | Facility location:  |
|          | Street or Route #: State Route 699; 11550 Camp Pine Road  |
|          | County: Wise  |
|          | City or Town: Norton State: Virginia Zip: 24230   |
| e.       | Is this facility a Class I sludge management facility?Yes _X_No   |
| f.       | Facility design flow rate: mgd  |
| g.       | Total population served: ~13,685  |
| h.       | Indicate the type of facility:  |
|          | X Publicly owned treatment works (POTW)   |
|          | Privately owned treatment works   |
|          | Federally owned treatment works   |
|          | Blending or treatment operation   |
|          | Surface disposal site   |
|          | Other (describe):   |
|          | Other (desertee).   |
| Applic   | ant Information. If the applicant is different from the above, provide the following:   |
| a.       | Applicant name: Coeburn-Norton-Wise Regional Wastewater Treatment Authority   |
| b.       | Mailing address:  |
|          | Street or P.O. Box: P.O. Box 1296   |
|          | City or Town: Norton State: VA Zip: 24273   |
| c.       | Contact person: Mr. Mark S. Hollyfield  |
|          | Title: Executive Director   |
|          | Phone: (276) 679-7236   |
| d.       | Is the applicant the owner or operator (or both) of this facility?  |
|          | X owner X operator  |
| e.       | Should correspondence regarding this permit be directed to the facility or the applicant? (Check one)   |
| С.       | facility X applicant  |
|          | iacintyapplicant  |
| Permit   | Information.  |
| a.       | Facility's VPDES permit number (if applicable): VA0077828   |
| b.       | List on this form or an attachment, all other federal, state or local permits or construction approvals received  |
| 0.       | or applied for that regulate this facility's sewage sludge management practices:  |
|          | Permit Number: Type of Permit:  |
|          | N/A   |
|          | IVA   |
|          |   |
| Indian   | Country Does any generation treatment storage application to land or disposal of saveges sludge from this   |
|          | Country. Does any generation, treatment, storage, application to land or disposal of sewage sludge from occur in Indian Country?Yes _X_No If yes, describe: |

- Topographic Map. Provide a topographic map or maps (or other appropriate maps if a topographic map is unavailable) that shows the following information. Maps should include the area one mile beyond all property boundaries of the facility: See Figure 1.
  - a. Location of all sewage sludge management facilities, including locations where sewage sludge is generated, stored, treated, or disposed.
  - b. Location of all wells, springs, and other surface water bodies listed in public records or otherwise known to the applicant within 1/4 mile of the property boundaries.
- 6. Line Drawing. Provide a line drawing and/or a narrative description that identifies all sewage sludge processes that will be employed during the term of the permit including all processes used for collecting, dewatering, storing, or treating sewage sludge, the destination(s) of all liquids and solids leaving each unit, and all methods used for pathogen reduction and vector attraction reduction. See Figure 3.
- 7. Contractor Information. Are any operational or maintenance aspects of this facility related to sewage sludge generation, treatment, use or disposal the responsibility of a contractor? \_\_Yes \_X\_ No If yes, provide the following for each contractor (attach additional pages if necessary).

| Name: |
|-------|
|-------|

Mailing address:

Street or P.O. Box:

City or Town: \_\_\_\_\_ State: \_\_\_\_Zip:

Phone:

Contractor's Federal, State or Local Permit Number(s) applicable to this facility's sewage sludge:

If the contractor is responsible for the use and/or disposal of the sewage sludge, provide a description of the service to be provided to the applicant and the respective obligations of the applicant and the contractor(s).

8. Pollutant Concentrations. Using the table below or a separate attachment, provide sewage sludge monitoring data for the pollutants which limits in sewage sludge have been established in 9 VAC 25-31-10 et seq. for this facility's expected use or disposal practices. All data must be based on three or more samples taken at least one month apart and must be no more than four and one-half years old.

| POLLUTANT  | CONCENTRATION (mg/kg dry weight) | SAMPLE<br>DATE | ANALYTICAL<br>METHOD | DETECTION LEVEL<br>FOR ANALYSIS |
|------------|----------------------------------|----------------|----------------------|---------------------------------|
| Arsenic    | <1.65                            | See Below      | EPA SW-846 6010B     | <1.65                           |
| Cadmium    | 4.90                             | See Below      | EPA SW-846 6010B     | 1.11                            |
| Chromium   | NA                               | NA             | NA                   | NA.                             |
| Copper     | 227                              | See Below      | EPA SW-846 6010B     | 1.11                            |
| Lead       | 37.2                             | See Below      | EPA SW-846 6010B     | 6.57                            |
| Mercury    | 1.67                             | See Below      | EPA SW-245.1 REV.3   | 0.0107                          |
| Molybdenum | 5.65                             | See Below      | EPA SW-846 6010B     | 2.714                           |
| Nickel     | 20.9                             | See Below      | EPA SW-846 6010B     | 1.11                            |
| Selenium   | 3.40                             | See Below      | EPA SW-846 6010B     | 3.889                           |
| Zinc       | 652                              | See Below      | EPA SW-846 6010B     | 1.11                            |

Concentrations represent an average value of samples collected on 8/14/2009, 1/25/2010, and 2/7/2011.

- 9. Certification. Read and submit the following certification statement with this application. Refer to the instructions to determine who is an officer for purposes of this certification. Indicate which parts of the application you have completed and are submitting:
  - X Section A (General Information)
  - X Section B (Generation of Sewage Sludge or Preparation of a Material Derived from Sewage Sludge)
  - X Section C (Land Application of Bulk Sewage Sludge)
  - Section D (Surface Disposal)

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name and official the Mark, Hollyfield, Executive Director

Signature ///

Date Signed

10/28/2011

Telephone number

(276) 679-7236

Upon request of the department, you must submit any other information necessary to assess sewage sludge use or disposal practices at your facility or identify appropriate permitting requirements.

# FACILITY NAME: <u>Coeburn-Norton-Wise Regional Wastewater Treatment Plant</u> VPDES PERMIT NUMBER:VA0077828 SECTION B. GENERATION OF SEWAGE SLUDGE OR PREPARATION OF A MATERIAL DERIVED FROM SEWAGE SLUDGE

Complete this section if your facility generates sewage sludge or derives a material from sewage sludge

| 1. | Amount Generated On Site.  Total dry metric tons per 365-day period generated at your facility: 171.7 in 2010 dry metric tons  |   |  |  |  |
|----|--|---|--|--|--|
| 2. | Amount Received from Off Site. If your facility receives sewage sludge from another facility for treatment, us disposal, provide the following information for each facility from which sewage sludge is received. If you rec sewage sludge from more than one facility, attach additional pages as necessary. See Attachment 3. |   |  |  |  |
|    | a.   | Facility name:  |  |  |  |
|    | b.   | Contact Person:   |  |  |  |
|    |  | Title:  |  |  |  |
|    |  | Phone   |  |  |  |
|    | c.   | Mailing address:  |  |  |  |
|    |  | Street or P.O. Box:   |  |  |  |
|    |  | City or Town: State: Zip:   |  |  |  |
|    | d.   | Facility Address:   |  |  |  |
|    |  | (not P.O. Box)  |  |  |  |
|    | e.   | Total dry metric tons per 365-day period received from this facility: dry metric tons.  |  |  |  |
|    | f.   | Describe, on this form or on another sheet of paper, any treatment processes known to occur at the off-site facility, including blending activities and treatment to reduce pathogens or vector attraction characteristics: |  |  |  |
| 3. | Treatme  | ent Provided at Your Facility.  |  |  |  |
|    | a.   | Which class of pathogen reduction is achieved for the sewage sludge at your facility?  Class A X Class B Neither or unknown   |  |  |  |
|    | b.   | Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce   |  |  |  |
|    | •  | pathogens in sewage sludge: Pathogen reduction at this plant is accomplished by aerobic digestion   |  |  |  |
|    |  | followed by moisture reduction by filter belt press.  |  |  |  |
|    | c.   | Which vector attraction reduction option is met for the sewage sludge at your facility?   |  |  |  |
|    |  | Option 1 (Minimum 38 percent reduction in volatile solids)  |  |  |  |
|    |  | Option 2 (Anaerobic process, with bench-scale demonstration)  |  |  |  |
|    |  | Option 3 (Aerobic process, with bench-scale demonstration)  |  |  |  |
|    |  | X Option 4 (Specific oxygen uptake rate for aerobically digested sludge)  |  |  |  |
|    |  | Option 5 (Aerobic processes plus raised temperature)  |  |  |  |
|    |  | Option 6 (Raise pH to 12 and retain at 11.5)  |  |  |  |
|    |  | Option 7 (75 percent solids with no unstabilized solids)  |  |  |  |
|    |  | Option 8 (90 percent solids with unstabilized solids)   |  |  |  |
|    | a  | None or unknown   |  |  |  |
|    | d.   | Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce vector attraction properties of sewage sludge: Pathogen reduction at this plant is accomplished by                |  |  |  |
|    |  | aerobic digestion followed by moisture reduction by filter belt press.  |  |  |  |
|    |  |   |  |  |  |
|    | e.   | Describe, on this form or another sheet of paper, any other sewage sludge treatment activities, including blending, not identified in a - d above: None   |  |  |  |
| 4. |  | tion of Sewage Sludge Meeting Ceiling and Pollutant Concentrations, Class A Pathogen Requirements and Vector Attraction Reduction Options 1-8 (EQ Sludge). N/A  |  |  |  |
|    |  | ge sludge from your facility does not meet all of these criteria, skip Question 4.)   |  |  |  |
|    | a.   | Total dry metric tons per 365-day period of sewage sludge subject to this section that is applied to the land: dry metric tons  |  |  |  |
|    | b.   | Is sewage sludge subject to this section placed in bags or other containers for sale or give-away?  |  |  |  |
|    |  | Yes No  |  |  |  |

| 5. | Sale or Give-Away in a Bag or Other Container for Application to the Land. N/A |   |  |  |  |  |
|----|--|---|--|--|--|--|
|    | (Comp  | olete this question if you place sewage sludge in a bag or other container for sale or give-away prior to land application. Skip this         |  |  |  |  |
|    | questic  | on if sewage sludge is covered in Question 4.)  |  |  |  |  |
|    | a.   | Total dry metric tons per 365-day period of sewage sludge placed in a bag or other container at your facility                                 |  |  |  |  |
|    |  | for sale or give-away for application to the land: dry metric tons  |  |  |  |  |
|    | b.   | Attach, with this application, a copy of all labels or notices that accompany the sewage sludge being sold or                                 |  |  |  |  |
|    |  | given away in a bag or other container for application to the land.   |  |  |  |  |
| 6. | Shipment Off Site for Treatment or Blending. N/A                               |   |  |  |  |  |
|    |  | olete this question if sewage sludge from your facility is sent to another facility that provides treatment or blending. This question        |  |  |  |  |
|    |  | ot apply to sewage sludge sent directly to a land application or surface disposal site. Skip this question if the sewage sludge is covered    |  |  |  |  |
|    | _  | stions 4 or 5. If you send sewage sludge to more than one facility, attach additional sheets as necessary.)                                   |  |  |  |  |
|    | a.   | Receiving facility name:  |  |  |  |  |
|    | b.   | Facility contact:   |  |  |  |  |
|    |  | Title:  |  |  |  |  |
|    |  | Phone: ( )  |  |  |  |  |
|    | c.   | Mailing address:  |  |  |  |  |
|    |  | Street or P.O. Box: City or Town: State: Zip:   |  |  |  |  |
|    | d.   | Total dry metric tons per 365-day period of sewage sludge provided to receiving facility: dry   |  |  |  |  |
|    | u.   | metric tons   |  |  |  |  |
|    | e.   | List, on this form or an attachment, the receiving facility's VPDES permit number as well as the numbers of                                   |  |  |  |  |
|    |  | all other federal, state or local permits that regulate the receiving facility's sewage sludge use or disposal                                |  |  |  |  |
|    |  | practices:  |  |  |  |  |
|    |  | Permit Number: Type of Permit:  |  |  |  |  |
|    |  |   |  |  |  |  |
|    |  |   |  |  |  |  |
|    | f.   | Does the receiving facility provide additional treatment to reduce pathogens in sewage sludge from your                                       |  |  |  |  |
|    |  | facility?YesNo  |  |  |  |  |
|    |  | Which class of pathogen reduction is achieved for the sewage sludge at the receiving facility? Class AClass BNeither or unknown               |  |  |  |  |
|    |  | Class AClass BNeither or unknown  Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to |  |  |  |  |
|    |  | reduce pathogens in sewage sludge:  |  |  |  |  |
|    |  | reduce painogens in sevinge studge.   |  |  |  |  |
|    | g.   | Does the receiving facility provide additional treatment to reduce vector attraction characteristics of the                                   |  |  |  |  |
|    |  | sewage sludge?YesNo   |  |  |  |  |
|    |  | Which vector attraction reduction option is met for the sewage sludge at the receiving facility?  |  |  |  |  |
|    |  | Option 1 (Minimum 38 percent reduction in volatile solids)  |  |  |  |  |
|    |  | Option 2 (Anaerobic process, with bench-scale demonstration)  |  |  |  |  |
|    |  | Option 3 (Aerobic process, with bench-scale demonstration)  |  |  |  |  |
|    |  | Option 4 (Specific oxygen uptake rate for aerobically digested sludge)  |  |  |  |  |
|    |  | Option 5 (Aerobic processes plus raised temperature)  |  |  |  |  |
|    |  | Option 6 (Raise pH to 12 and retain at 11.5) Option 7 (75 percent solids with no unstabilized solids)   |  |  |  |  |
|    |  | Option 8 (90 percent solids with unstabilized solids)   |  |  |  |  |
|    |  | Option 8 (90 percent solids with unstabilized solids) None unknown  |  |  |  |  |
|    |  | Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to                                   |  |  |  |  |
|    |  | reduce vector attraction properties of sewage sludge:   |  |  |  |  |
|    |  |   |  |  |  |  |
|    | h.   | Does the receiving facility provide any additional treatment or blending not identified in f or g above?                                      |  |  |  |  |
|    |  | YesNo   |  |  |  |  |
|    |  | If yes, describe, on this form or another sheet of paper, the treatment processes not identified in f or g above:                             |  |  |  |  |
|    |  |   |  |  |  |  |
|    | i.   | If you answered yes to f., g or h above, attach a copy of any information you provide to the receiving facility                               |  |  |  |  |
|    |  | to comply with the "notice and necessary information" requirement of 9 VAC 25-31-530.G.   |  |  |  |  |

| FACI | LITY N | AME: Coeburn-Norton-Wise Regional Wastewater Treatment Plant VPDES PERMIT NUMBER: VA0077828  |  |  |  |  |
|------|--------|--|--|--|--|--|
|      | j.     | Does the receiving facility place sewage sludge from your facility in a bag or other container for sale or give-away for application to the land?YesNo   |  |  |  |  |
|      | k.     | If yes, provide a copy of all labels or notices that accompany the product being sold or given away. Will the sewage sludge be transported to the receiving faciliaty in a truck-mounted watertight tank normally used for such purposes? Yes No. If no, provide description and specification on the vehicle used to transport the sewage sludge to the receiving facility. Show the haul route(s) on a location map or briefly describe the haul route below and indicate the days of the week and the times of the day sewage sludge will be transported. |  |  |  |  |
| 7.   | Land   | Application of Bulk Sewage Sludge.   |  |  |  |  |
|      | (Comp  | lete Question 7.a if sewage sludge from your facility is applied to the land, unless the sewage sludge is covered in Questions 4, 5 or 6;  |  |  |  |  |
|      | comple | ete Question 7.b, c & d only if you are responsible for land application of sewage sludge.)  |  |  |  |  |
|      | a.     | Total dry metric tons per 365-day period of sewage sludge applied to all land application sites: <u>171.7 in 2010</u> dry metric tons  |  |  |  |  |
|      | b.     | Do you identify all land application sites in Section C of this application?Yes _X_No If no, submit a copy of the Land Application Plan (LAP) with this application (LAP should be prepared in accordance with the instructions). See Land Application Plan and addenda on file at DEQ.  |  |  |  |  |
|      | c.     | Are any land application sites located in States other than Virginia?Yes _X_No If yes, describe, on this form or on another sheet of paper, how you notify the permitting authority for the States where the land application sites are located. Provide a copy of the notification.   |  |  |  |  |
|      | d.     | Attach a copy of any information you provide to the owner or lease holder of the land application sites to comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV). See Land Application Plan and addenda on file at DEQ.   |  |  |  |  |
| 8.   |        | Surface Disposal. N/A  |  |  |  |  |
|      | (Comp  | elete Question 8 if sewage sludge from your facility is placed on a surface disposal site.)  |  |  |  |  |
|      | a.     | Total dry metric tons per 365-day period of sewage sludge from your facility placed on all surface disposal sites: dry metric tons   |  |  |  |  |
|      | b.     | Do you own or operate all surface disposal sites to which you send sewage sludge for disposal? YesNo   |  |  |  |  |
|      |        | If no, answer questions c - g for each surface disposal site that you do not own or operate. If you send sewage sludge to more than one surface disposal site, attach additional pages as necessary.   |  |  |  |  |
|      | c.     | Site name or number:   |  |  |  |  |
|      | d.     | Contact person: Title: Phone: ( ) Contact is:Site OwnerSite operator   |  |  |  |  |
|      | e.     | Mailing address. Street or P.O. Box: City or Town: State: Zip:   |  |  |  |  |
|      | f.     | Total dry metric tons per 365-day period of sewage sludge from your facility placed on this surface disposal site: dry metric tons   |  |  |  |  |
|      | g.     | List, on this form or an attachment, the surface disposal site VPDES permit number as well as the numbers of all other federal, state or local permits that regulate the sewage sludge use or disposal practices at the surface disposal site:  Permit Number:  Type of Permit:  |  |  |  |  |
|      |        |  |  |  |  |  |

FACILITY NAME: Coeburn-Norton-Wise Regional Wastewater Treatment Plant VPDES PERMIT NUMBER: VA0077828 Incineration. N/A (Complete Question 9 if sewage sludge from your facility is fired in a sewage sludge incinerator.) Total dry metric tons per 365-day period of sewage sludge from your facility fired in a sewage sludge incinerator: \_\_\_\_\_ dry metric tons Do you own or operate all sewage sludge incinerators in which sewage sludge from your facility is fired? b. \_\_\_Yes \_\_\_No If no, answer questions c - g for each sewage sludge incinerator that you do not own or operate. If you send sewage sludge to more than one sewage sludge incinerator, attach additional pages as necessary. Incinerator name or number: c. d. Contact person: Title: Phone: ( ) Contact is: Incinerator Owner Incinerator Operator Mailing address. e. Street or P.O. Box: State: Zip: City or Town: Total dry metric tons per 365-day period of sewage sludge from your facility fired in this sewage sludge f. \_\_ dry metric tons incinerator: List on this form or an attachment the numbers of all other federal, state or local permits that regulate the g. firing of sewage sludge at this incinerator: Type of Permit: Permit Number: Disposal in a Municipal Solid Waste Landfill. 10. (Complete Question 10 if sewage sludge from your facility is placed on a municipal solid waste landfill. Provide the following information for each municipal solid waste landfill on which sewage sludge from your facility is placed. If sewage sludge is placed on more than one municipal solid waste landfill, attach additional pages as necessary.) Landfill name: Wise County Landfill a. Contact person: Shannon Scott b. **Title: County Administrator** Phone: (276) 328-2321 Contact is: X Landfill Owner X Landfill Operator Mailing address. c. Street or P.O. Box: P.O. Box 570 State: VA City or Town: Wise Zip: 24293 d. Landfill location. Street or Route #: 5401 Blackwood Industrial Park Road County: Wise City or Town: Norton State: VA Zip: 24273 Total dry metric tons per 365-day period of sewage sludge placed in this municipal solid waste landfill: e. None since 2003 dry metric tons f. List, on this form or an attachment, the numbers of all federal, state or local permits that regulate the operation of this municipal solid waste landfill: Type of Permit: Permit Number: Solid Waste **SWP513** Does sewage sludge meet applicable requirements in the Virginia Solid Waste Management Regulation, 9 g. VAC 20-80-10 et seq., concerning the quality of materials disposed in a municipal solid waste landfill? X\_Yes \_\_No

| VAC 20-00-10 ct seq., concerning the quarty of materials disposed in a manuelpar sond waste randim.  |
|--|
| X_YesNo  |
| Does the municipal solid waste landfill comply with all applicable criteria set forth in the Virginia Solid  |
| Waste Management Regulation, 9 VAC 20-80-10 et seq.? X Yes No  |
| Will the vehicle bed or other container used to transport sewage sludge to the municipal solid waste landfill  |
| be watertight and covered? X Yes No  |
| Show the haul route(s) on a location map or briefly describe the route below and indicate the days of the week and time of the day sewage sludge will be transported. See Figure 4. Hauling may occur Monday – |
| Saturday during daylight hours.  |
| ge Permit Application Form (2000 Rev.) Page 8 of 21  |

h.

i.

# FACILITY NAME: Coeburn-Norton-Wise Regional Wastewater Treatment Plant VPDES PERMIT NUMBER: VA0077828 SECTION C. LAND APPLICATION OF BULK SEWAGE SLUDGE

Complete this section for sewage sludge that is land applied unless any of the following conditions apply: The sewage sludge meets the Table 1 ceiling concentrations, the Table 3 pollutant concentrations, Class A pathogen requirements and one of the vector attraction reduction options 1-8 (fill out B.4 instead) (EQ Sludge); or The sewage sludge is sold or given away in a bag or other container for application to the land (fill out B.5 instead); or You provide the sewage sludge to another facility for treatment or blending (fill out B.6 instead). Complete Section C for every site on which the sewage sludge that you reported in B.7 is land applied. Identification of Land Application Site. 1. Site name or number: Jimmy Vanhover Site Site location (Complete i and ii) b. Street or Route#: 8262 Boggs Hill Road County: Wise 
 City or Town:
 Wise
 State:
 VA
 Zip:
 24293

 Latitude:
 N 37° 2' 27.0"
 Longitude:
 W 82° 31' 53.5"
 ii. Method of latitude/longitude determination X USGS map Filed survey Topographic map. Provide a topographic map (or other appropriate map if a topographic map is c. unavailable) that shows the site location. See Attached Figure 5. 2. Owner Information. Are you the owner of this land application site? \_\_\_Yes \_X\_\_No If no, provide the following information about the owner: b. Name: Jimmy Vanhover Street or P.O. Box: 8262 Boggs Hill Road City or Town: Wise State: VA Zip: 24293 Phone: (276) 395-5309 Applier Information: Are you the person who applies, or who is responsible for application of, sewage sludge to this land application site? X Yes No b. If no, provide the following information for the person who applies the sewage sludge: Name: Street or P.O. Box: City or Town: \_\_\_\_\_ State: \_\_\_ Zip: Phone: ( ) List, on this form or an attachment, the numbers of all federal, state or local permits that regulate the person c. who applies sewage sludge to this land application site: Permit Number: Type of Permit: 4. Site Type. Identify the type of land application site from among the following: \_\_\_Reclamation site X Agricultural land \_\_\_Forest Other. Describe \_\_\_Public contact site 5. Vector Attraction Reduction. Are any vector attraction reduction requirements met when sewage sludge is applied to the land application site? Yes X No If yes, answer a and b.

Describe, on this form or on another sheet of paper, any treatment processes used at the land application site

b.

Indicate which vector attraction reduction option is met:

\_ Option 10 (Incorporation into soil within 6 hours)

to reduce the vector attraction properties of sewage sludge: N/A

\_\_\_ Option 9 (Injection below land surface)

| 6.        | Cumula    | tive Loadings and Remaining Allotments. N/A   |
|-----------|-----------|---|
|           |           | e Question 6 only if the sewage sludge applied to this site since July 20, 1993 is subject to the cumulative pollutant loading rates  |
|           | • •       | - see instructions.)  |
|           | a.        | Have you contacted DEQ or the permitting authority in the state where the sewage sludge subject to the CPLRs will be applied to ascertain whether bulk sewage sludge subject to the CPLRs has been applied to |
|           |           | this site since July 20, 1993?YesNo   |
|           |           | If no, sewage sludge subject to the CPLRs may <u>not</u> be applied to this site.   |
|           |           | If yes, provide the following information:  |
|           |           | Permitting authority:   |
|           |           | Contact person:   |
|           |           | Phone:( )   |
|           | b.        | Based upon this inquiry, has bulk sewage sludge subject to the CPLRs been applied to this site since July 20,   |
|           | *         | 1993?YesNo If no, skip the rest of Question 6. If yes, answer questions c - e.  |
|           | c.        | Site size, in hectares: (one hectare = 2.471 acres)   |
|           | d.        | Provide the following information for every facility other than yours that is sending or has sent sewage  |
|           |           | sludge subject to the CPLRs to this site since July 20, 1993. If more than one such facility sends sewage   |
|           |           | sludge to this site, attach additional pages as necessary.  |
|           |           | Facility name:  |
|           |           | Facility contact:   |
|           |           | Title:  |
|           |           | Phone: ( )  |
|           |           | Mailing address.  |
|           |           | Street or P.O. Box:   |
|           |           | City or Town: State: Zip: Provide the total loading and allotment remaining, in kg/hectare, for each of the following pollutants:   |
|           | e.        | Cumulative loading Allotment remaining  Allotment remaining   |
|           |           | Arsenic Another remaining   |
|           |           | Cadmium   |
|           |           | Copper  |
|           |           | Lead  |
|           |           | Mercury   |
|           |           | Nickel  |
|           |           | Selenium  |
|           |           | Zinc  |
|           |           |   |
|           |           | 7-12 below only if you apply sewage sludge, or you are responsible for land application of sewage sludge. Information required  |
| •         | -         | hay be prepared as attachments to this form. Skip the following questions if you contract land application to someone else (as  |
| indicated | under Sec | tion A.7) who is responsible for the operation.   |
| 7.        | Sludge (  | Characterization. Use the table below or a separate attachment, provide at least one analysis for each  |
| ,·        |           | er. See the analysis reports in Attachment 4.   |
|           | 124141141 |   |
|           |           | PCBs (mg/kg)  |
|           |           | pH (S. U.)  |
|           |           | Percent Solids (%)  |
|           |           | Ammonium Nitrogen (mg/kg)   |
|           |           | Nitrate Nitrogen (mg/kg)  |
|           |           | Total Kjeldahl Nitrogen (mg/kg)   |
|           |           | Total Phosphorus (mg/kg)  |
|           |           | Total Potassium (mg/kg)   |
|           |           | Alkalinity as CaCO <sub>3</sub> * (mg/kg)   |
|           |           |   |
|           |           | * Lime treated sludge (10% or more lime by dry weight) should be analyzed for percent CaCO <sub>3</sub> .   |

8. Storage Requirements. N/A – All storage of dewatered sludge is at WWTP.

Existing and proposed sludge storage facilities must provide an estimated annual sludge balance on a monthly basis incorporating such factors as storage capacity, sludge production and land application schedule. Include pertinent calculations justifying storage requirements.

Proposed sludge storage facilities must also provide the following information:

- a. A sludge storage site layout on a 7.5 minute topographic quadrangle or other appropriate scaled map to show the following topographic features of the surrounding landscape to a distance of 0.25 mile. Clearly mark the property line.
  - 1) Water wells, abandoned or operating
  - Surface waters
  - 3) Springs
  - Public water supply(s)
  - 5) Sinkholes
  - 6) Underground and/or surface mines
  - 7) Mine pool (or other) surface water discharge points
  - 8) Mining spoil piles and mine dumps
  - 9) Quarry(s)
  - 10) Sand and gravel pits
  - 11) Gas and oil wells
  - 12) Diversion ditch(s)
  - 13) Agricultural drainage ditch(s)
  - 14) Occupied dwellings, including industrial and commercial establishments
  - 15) Landfills or dumps
  - 16) Other unlined impoundments
  - 17) Septic tanks and drainfields
  - 18) Injection wells
  - 19) Rock outcrops
- b. A topographic map of sufficient detail to clearly show the following information:
  - 1) Maximum and minimum percent slopes
  - 2) Depressions on the site that may collect water
  - 3) Drainageways that may attribute to rainfall run-on to or runoff from this site
  - 4) Portions of the site (if any) which are located with the 100-year floodplain and how the storage facility will be protected from flooding
- c. Data and specifications for the storage facility lining material.
- d. Plan and cross-sectional views of the storage facility.
- e. Depth from the bottom of the storage facility to the seasonal high water table and separation distance to the permanent water table.
- 9. Land Area Requirements. Provide calculations justifying the land area requirements for land application of sewage sludge taking into consideration average soil productivity group, crop(s) to be grown and most limiting factor(s) of the sewage sludge, specifically Plant Available Nitrogen (PAN), Calcium Carbonate Equivalence (CCE), and metal loadings (CPLR sewage sludge only), where applicable. Relate PAN, CCE, and metal loadings to demonstrate the most limiting factor for land application. See Nutrient Management Plan on file at DEQ.
- 10. Landowner Agreement Forms. Provide a properly completed Sewage Sludge Application Agreement Form (attached) for each landowner if sewage sludge is to be applied onto land not owned by the applicant. See Attachment 5. Forms for additionally permitted lands are included in the Land Application Plan and addenda on file at DEQ.
- 11. Ground Water Monitoring.

  Are any ground water monitoring data available for this land application site? \_\_\_Yes \_X\_\_No

  If yes, submit the ground water monitoring data with this permit application. Also submit a written description of the well locations, approximate depth to ground water, and the ground water monitoring procedures used to obtain these data.
- 12. Land Application Site Information. See Land Application Plan, addenda, and Nutrient Management Plan on file at DEQ.
  (Complete Items a-d for sites receiving infrequent application land application of sewage sludge up to the agronomic rate at a frequency

# FACILITY NAME: Coeburn-Norton-Wise Regional Wastewater Treatment Plant VPDES PERMIT NUMBER: VA0077828 of once in a 3 year period; complete Items a-h for sites receiving frequent application - land application of sewage sludge in excess of 70% the agronomic rate at a frequency greater than once in a 3 year period)

- Provide a general location map for each county which clearly indicates the location of all the land application sites.
- b. For each land application site provide a site plan of sufficient detail to clearly show the concerned landscape features and associated buffer zones (See instructions). Provide a legend for each landscape feature and the net acreage for each field taking into account the proposed buffer zones.
- In order to ensure that land application of bulk sewage sludge will not impact federally listed threatened or endangered species or federally designated critical habitat, the applicant must notify the field office of the U.
   S. Department of the Interior, Fish and Wildlife Service (FWS), by a letter, the proposed land application activities with the identification of the land application sites. The address and phone number of FWS are provided below.

U. S. Fish and Wildlife Service Virginia Field Office P. O. Box 480 White Marsh, VA 23183 TEL: (804)693-6694

Provide a copy of the notification letter with this application form. See Land Application Plan and addenda on file at DEQ.

- d. Provide a soil survey map, preferably photographically based, with the field boundaries clearly marked. (A USDA-SCS soil survey map should be provided, if available.)
  - Provide a detailed legend for each soil survey map which uses accepted USDA-SCS descriptions of the typifying pedon for each soil series (soil type). Complex associations may be described as a range of characteristics. Soil descriptions shall include as a minimum the following information.
  - 1) Soil symbol
  - 2) Soil series, textural phase and slope range
  - 3) Depth to seasonal high water table
  - 4) Depth to bedrock
  - 5) Estimated soil productivity group (for the proposed crop rotation)

### Item e - h are required for sites receiving frequent application of sewage sludge N/A

- e. In order to verify the information provided in item d, characterize the soil at each land application site.

  Representative soil borings or test pits to a depth of five feet or to bedrock if shallower, are to be coordinated for the typifying pedon of each soil series (soil type). Soil descriptions shall include as a minimum the following information:
  - 1). Soil symbol
  - 2). Soil series, textural phase and slope range
  - 3). Depth to seasonal high water table
  - 4). Depth to bedrock
  - 5). Estimated soil productivity group (for the proposed crop rotation)

f. Collect and analyze soil samples from each field, weighted to best represent each of the soil borings performed for Item e. Using the table below or a separate attachment, provide at least one analysis per sample for each of the following parameters.

Soil Organic Matter (%)

Soil pH (std. units)

Cation Exchange Capacity (meq/100g)

Total Nitrogen (ppm)

Organic Nitrogen (ppm)

Ammonia Nitrogen (ppm)

Nitrate Nitrogen (ppm)

Available Phosphorus (ppm)

Exchangeable Potassium (mg/100g)

Exchangeable Sodium (mg/100g)

Exchangeable Calcium (mg/100g)

Exchangeable Magnesium (mg/100g)

Arsenic (ppm)

Cadmium (ppm)

Copper (ppm)

Lead (ppm)

Mercury (ppm)

Molybdenum (ppm)

Nickel (ppm)

Selenium (ppm)

Zinc (ppm)

Manganese (ppm)

Particle Size Analysis or

USDA Textural Estimate (%)

- g. Relate the crop nutrient needs to anticipated yields, soil productivity rating and the various fertilizer or nutrient sources from sludge and chemical fertilizers. Describe any specialized agronomic management practices which may be required as a result of high soil pH. If the sludge is expected to possess an unusually high CCE or other unusual properties, provide a description of any plant tissue testing, supplemental fertilization or intensive agronomic management practices which may be necessary.
- Using a narrative format and referencing any related charts, describe the proposed cropping system. Show
  how the crop rotation and management will be coordinated with the design of the land application system.
  Include any supplemental fertilization program, soil testing and the coordination of tillage practices, planting
  and harvesting schedules and timing of land application.

#### SECTION C. LAND APPLICATION OF BULK SEWAGE SLUDGE

Complete this section for sewage sludge that is land applied unless any of the following conditions apply: The sewage sludge meets the Table 1 ceiling concentrations, the Table 3 pollutant concentrations, Class A pathogen requirements and one of the vector attraction reduction options 1-8 (fill out B.4 instead) (EQ Sludge); or The sewage sludge is sold or given away in a bag or other container for application to the land (fill out B.5 instead); or You provide the sewage sludge to another facility for treatment or blending (fill out B.6 instead). Complete Section C for every site on which the sewage sludge that you reported in B.7 is land applied. 1. Identification of Land Application Site. Additional sites that may be used for land application of sludge are identified in the Land Application Plan and addenda on file at DEQ. Site name or number: Site location (Complete i and ii) b. Street or Route#: County: City or Town: \_\_\_\_\_ State: \_\_\_\_ Zip: Latitude: Longitude: ii. Method of latitude/longitude determination \_\_\_\_ USGS map \_\_\_\_ Filed survey \_\_\_\_ Other Topographic map. Provide a topographic map (or other appropriate map if a topographic map is b. unavailable) that shows the site location. 2. Owner Information. Are you the owner of this land application site? \_\_\_Yes \_\_\_No If no, provide the following information about the owner: b. Name: Street or P.O. Box: City or Town: \_\_\_\_\_ State: \_\_\_\_ Zip: Phone: ( ) 3. Applier Information: Are you the person who applies, or who is responsible for application of, sewage sludge to this land application site? X Yes No b. If no, provide the following information for the person who applies the sewage sludge: Name: Street or P.O. Box: City or Town: State: Zip: Phone: ( ) List, on this form or an attachment, the numbers of all federal, state or local permits that regulate the person c. who applies sewage sludge to this land application site: Type of Permit: Permit Number: Site Type. Identify the type of land application site from among the following: 4. \_\_\_Reclamation site X Agricultural land \_\_\_Public contact site \_\_Other. Describe 5. Vector Attraction Reduction. Are any vector attraction reduction requirements met when sewage sludge is applied to the land application site? \_\_\_Yes X\_No If yes, answer a and b. Indicate which vector attraction reduction option is met: \_\_\_ Option 9 (Injection below land surface) Option 10 (Incorporation into soil within 6 hours) Describe, on this form or on another sheet of paper, any treatment processes used at the land application site b.

to reduce the vector attraction properties of sewage sludge: N/A

|          |             | tive Loadings and Remaining Allotments. N/A   |
|----------|-------------|---|
| 6.       |             |   |
|          |             | e Question 6 only if the sewage sludge applied to this site since July 20, 1993 is subject to the cumulative pollutant loading rates - see instructions.)   |
|          | a.          | Have you contacted DEQ or the permitting authority in the state where the sewage sludge subject to the CPLRs will be applied to ascertain whether bulk sewage sludge subject to the CPLRs has been applied to   |
|          |             | this site since July 20, 1993?YesNo   |
|          |             | If no, sewage sludge subject to the CPLRs may <u>not</u> be applied to this site.   |
|          |             | If yes, provide the following information:  |
|          |             | Permitting authority:   |
|          |             | Contact person:   |
|          |             | Phone:( )   |
|          | b.          | Based upon this inquiry, has bulk sewage sludge subject to the CPLRs been applied to this site since July 20, 1993?YesNo If no, skip the rest of Question 6. If yes, answer questions c - e.  |
|          | c.          | Site size, in hectares: (one hectare = 2.471 acres)   |
|          | d.          | Provide the following information for every facility other than yours that is sending or has sent sewage  |
|          |             | sludge subject to the CPLRs to this site since July 20, 1993. If more than one such facility sends sewage   |
|          |             | sludge to this site, attach additional pages as necessary.  |
|          |             | Facility name: Facility contact:  |
|          |             | Title:  |
|          |             | Phone: ( )  |
|          |             | Mailing address.  |
|          |             | Street or P.O. Box:   |
|          |             | City or Town: State: Zip:   |
|          | e.          | Provide the total loading and allotment remaining, in kg/hectare, for each of the following pollutants:   |
|          |             | <u>Cumulative loading</u> <u>Allotment remaining</u>  |
|          |             | Arsenic   |
|          |             | Cadmium   |
|          |             | Copper  |
|          |             | Lead  |
|          |             | Mercury   |
|          |             | Nickel  |
|          |             | Selenium  |
|          |             | Zinc  |
| by these | questions n | 7-12 below only if you apply sewage sludge, or you are responsible for land application of sewage sludge. Information required hay be prepared as attachments to this form. Skip the following questions if you contract land application to someone else (as tion A.7) who is responsible for the operation. |
| 7.       |             | Characterization. Use the table below or a separate attachment, provide at least one analysis for each er. See the analysis reports in Attachment 4.  |
|          |             | PCBs (mg/kg)  |
|          |             | pH (S. U.)  |
|          |             | Percent Solids (%)  |
|          |             | Ammonium Nitrogen (mg/kg)   |
|          |             | Nitrate Nitrogen (mg/kg) Total Kjeldahl Nitrogen (mg/kg)  |
|          |             | Total Phosphorus (mg/kg)  |
|          |             | Total Potassium (mg/kg)   |
|          |             | Alkalinity as CaCO <sub>3</sub> * (mg/kg)   |
|          |             |   |
|          |             | * Lime treated sludge (10% or more lime by dry weight) should be analyzed for percent CaCO <sub>3</sub> .   |

6.

Storage Requirements. N/A – All storage of dewatered sludge is at WWTP.

Existing and proposed sludge storage facilities must provide an estimated annual sludge balance on a monthly basis incorporating such factors as storage capacity, sludge production and land application schedule. Include pertinent calculations justifying storage requirements.

Proposed sludge storage facilities must also provide the following information:

- a. A sludge storage site layout on a 7.5 minute topographic quadrangle or other appropriate scaled map to show the following topographic features of the surrounding landscape to a distance of 0.25 mile. Clearly mark the property line.
  - 1) Water wells, abandoned or operating
  - 2) Surface waters
  - 3) Springs
  - 4) Public water supply(s)
  - 5) Sinkholes
  - 6) Underground and/or surface mines
  - 7) Mine pool (or other) surface water discharge points
  - 8) Mining spoil piles and mine dumps
  - 9) Quarry(s)
  - 10) Sand and gravel pits
  - 11) Gas and oil wells
  - 12) Diversion ditch(s)
  - 13) Agricultural drainage ditch(s)
  - 14) Occupied dwellings, including industrial and commercial establishments
  - Landfills or dumps
  - 16) Other unlined impoundments
  - 17) Septic tanks and drainfields
  - 18) Injection wells
  - 19) Rock outcrops
- b. A topographic map of sufficient detail to clearly show the following information:
  - 1) Maximum and minimum percent slopes
  - 2) Depressions on the site that may collect water
  - 3) Drainageways that may attribute to rainfall run-on to or runoff from this site
  - 4) Portions of the site (if any) which are located with the 100-year floodplain and how the storage facility will be protected from flooding
- c. Data and specifications for the storage facility lining material.
- d. Plan and cross-sectional views of the storage facility.
- e. Depth from the bottom of the storage facility to the seasonal high water table and separation distance to the permanent water table.
- 9. Land Area Requirements. Provide calculations justifying the land area requirements for land application of sewage sludge taking into consideration average soil productivity group, crop(s) to be grown and most limiting factor(s) of the sewage sludge, specifically Plant Available Nitrogen (PAN), Calcium Carbonate Equivalence (CCE), and metal loadings (CPLR sewage sludge only), where applicable. Relate PAN, CCE, and metal loadings to demonstrate the most limiting factor for land application.
- 10. Landowner Agreement Forms. Provide a properly completed Sewage Sludge Application Agreement Form (attached) for each landowner if sewage sludge is to be applied onto land not owned by the applicant. Forms for additionally permitted lands are included in the Land Application Plan and addenda on file at DEQ.
- 11. Ground Water Monitoring.

Are any ground water monitoring data available for this land application site? \_\_\_Yes \_X\_No If yes, submit the ground water monitoring data with this permit application. Also submit a written description of the well locations, approximate depth to ground water, and the ground water monitoring procedures used to obtain these data.

12. Land Application Site Information. See Land Application Plan and addenda on file at DEQ. (Complete Items a-d for sites receiving infrequent application - land application of sewage sludge up to the agronomic rate at a frequency of once in a 3 year period; complete Items a-h for sites receiving frequent application - land application of sewage sludge in excess of 70%

# FACILITY NAME: <u>Coeburn-Norton-Wise Regional Wastewater Treatment Plant VPDES PERMIT NUMBER: VA0077828</u> the agronomic rate at a frequency greater than once in a 3 year period)

- a. Provide a general location map for each county which clearly indicates the location of all the land application sites.
- b. For each land application site provide a site plan of sufficient detail to clearly show the concerned landscape features and associated buffer zones (See instructions). Provide a legend for each landscape feature and the net acreage for each field taking into account the proposed buffer zones.
- In order to ensure that land application of bulk sewage sludge will not impact federally listed threatened or endangered species or federally designated critical habitat, the applicant must notify the field office of the U.
   S. Department of the Interior, Fish and Wildlife Service (FWS), by a letter, the proposed land application activities with the identification of the land application sites. The address and phone number of FWS are provided below.

U. S. Fish and Wildlife Service Virginia Field Office P. O. Box 480 White Marsh, VA 23183 TEL: (804)693-6694

Provide a copy of the notification letter with this application form. See Land Application Plan and addenda on file at DEQ.

d. Provide a soil survey map, preferably photographically based, with the field boundaries clearly marked. (A USDA-SCS soil survey map should be provided, if available.)

Provide a detailed legend for each soil survey map which uses accepted USDA-SCS descriptions of the typifying pedon for each soil series (soil type). Complex associations may be described as a range of characteristics. Soil descriptions shall include as a minimum the following information.

- Soil symbol
- 2) Soil series, textural phase and slope range
- 3) Depth to seasonal high water table
- 4) Depth to bedrock
- 5) Estimated soil productivity group (for the proposed crop rotation)

### Item e - h are required for sites receiving frequent application of sewage sludge N/A

- e. In order to verify the information provided in item d, characterize the soil at each land application site.

  Representative soil borings or test pits to a depth of five feet or to bedrock if shallower, are to be coordinated for the typifying pedon of each soil series (soil type). Soil descriptions shall include as a minimum the following information:
  - 1). Soil symbol
  - 2). Soil series, textural phase and slope range
  - 3). Depth to seasonal high water table
  - 4). Depth to bedrock
  - 5). Estimated soil productivity group (for the proposed crop rotation)

Collect and analyze soil samples from each field, weighted to best represent each of the soil borings performed for Item e. Using the table below or a separate attachment, provide at least one analysis per sample for each of the following parameters.

Soil Organic Matter (%)

Soil pH (std. units)

Cation Exchange Capacity (meq/100g)

Total Nitrogen (ppm)

Organic Nitrogen (ppm)

Ammonia Nitrogen (ppm)

Nitrate Nitrogen (ppm)

Available Phosphorus (ppm)

Exchangeable Potassium (mg/100g)

Exchangeable Sodium (mg/100g)

Exchangeable Calcium (mg/100g)

Exchangeable Magnesium (mg/100g)

Arsenic (ppm)

Cadmium (ppm)

Copper (ppm)

Lead (ppm)

Mercury (ppm)

Molybdenum (ppm)

Nickel (ppm)

Selenium (ppm)

Zinc (ppm)

Manganese (ppm)

Particle Size Analysis or

USDA Textural Estimate (%)

- g. Relate the crop nutrient needs to anticipated yields, soil productivity rating and the various fertilizer or nutrient sources from sludge and chemical fertilizers. Describe any specialized agronomic management practices which may be required as a result of high soil pH. If the sludge is expected to possess an unusually high CCE or other unusual properties, provide a description of any plant tissue testing, supplemental fertilization or intensive agronomic management practices which may be necessary.
- Using a narrative format and referencing any related charts, describe the proposed cropping system. Show
  how the crop rotation and management will be coordinated with the design of the land application system.
  Include any supplemental fertilization program, soil testing and the coordination of tillage practices, planting
  and harvesting schedules and timing of land application.

FACILITY NAME: Coeburn-Norton-Wise Regional Wastewater Treatment Plant VPDES PERMIT NUMBER: VA0077828 SEWAGE SLUDGE APPLICATION AGREEMENT See Attachment 5. Additional agreement forms have been previously submitted to DEQ in the facility's Land Application Plan and addenda. This sewage sludge application agreement is made on this date , referred to here as "landowner", and , referred to here as the "Permittee". Landowner is the owner of agricultural land shown on the map attached as Exhibit A and designated there as ("landowner's land"). Permittee agrees to apply and landowner agrees to comply with certain permit requirements following application of sewage sludge on landowner's land in amounts and in a manner authorized by VPDES permit number which is held by the Permittee. Landowner acknowledges that the appropriate application of sewage sludge will be beneficial in providing fertilizer and soil conditioning to the property. Moreover, landowner acknowledges having been expressly advised that, in order to protect public health, the following site restrictions must be adhered to when sewage sludge receives Class B treatment for pathogen reduction: Food crops with harvested parts that touch the sewage sludge/soil mixture and are totally above the land surface shall 1. not be harvested for 14 months after application of sewage sludge; Food crops with harvested parts below the surface of the land shall not be harvested for 20 months after application of 2. sewage sludge when the sewage sludge remains on the land surface for four months or longer prior to incorporation into the soil: Food crops with harvested parts below the surface of the land shall not be harvested for 38 months after application of 3. sewage sludge when the sewage sludge remains on the land surface for less than four months prior to incorporation into the soil; Food crops, feed crops, and fiber crops shall not be harvested for 30 days after application of sewage sludge; 4. Animals shall not be grazed on the land for 30 days after application of sewage sludge; Turf grown on land where sewage sludge is applied shall not be harvested for one year after application of the sewage 6. sludge when the harvested turf is placed on either land with a high potential for public exposure or a lawn, unless otherwise specified by the State Water Control Board; 7. Public access to land with a high potential for public exposure shall be restricted for one year after application of sewage sludge; Public access to land with a low potential for public exposure shall be restricted for 30 days after application of 8. sewage sludge. 9. Tobacco, because it has been shown to accumulate cadmium, should not be grown on landowner's land for three years following the application of sewage sludge borne cadmium equal to or exceeding 0.5 kilograms/hectare (0.45 pounds/acre). Permittee agrees to notify landowner or landowner's designee of the proposed schedule for sewage sludge application and specifically prior to any particular application to landowner's land. This agreement may be terminated by either party upon written notice to the address specified below. Landowner: Permittee:

Signature

Mailing Address

Mailing Address

Signature

# FACILITY NAME: Coeburn-Norton-Wise Regional Wastewater Treatment Plant VPDES PERMIT NUMBER: VA0077828 SECTION D. SURFACE DISPOSAL N/A

Complete this section only if you own or operate a surface disposal site. Provide the information for each active sewage sludge unit. Information on Active Sewage Sludge Units. 1. Unit name or number: b. Unit location i. Street or Route#: County: \_\_ State: \_\_\_\_\_ Zip: City or Town: \_\_\_ \_\_\_\_\_State Latitude:\_ ii. Method of latitude/longitude determination USGS map \_\_\_\_ Filed survey Topographic map. Provide a topographic map (or other appropriate map if a topographic map is unavailable) that shows the site location. Total dry metric tons of sewage sludge placed on the active sewage sludge unit per 365-day period: d. dry metric tons. Total dry metric tons of sewage sludge placed on the active sewage sludge unit over the life of the unit: e. dry metric tons. f. Does the active sewage sludge unit have a liner with a minimum hydraulic conductivity of 1 x 10<sup>-7</sup>cm/sec? \_\_\_Yes \_\_\_No If yes, describe the liner or attach a description. Does the active sewage sludge unit have a leachate collection system? \_\_\_Yes \_\_\_No g. If yes, describe the leachate collection system or attach a description. Also, describe the method used for leachate disposal and provide the numbers of any federal, state or local permits for leachate disposal: h. If you answered no to either f or g, answer the following: Is the boundary of the active sewage sludge unit less than 150 meters from the property line of the surface disposal site? \_\_Yes \_\_No If yes, provide the actual distance in meters: Remaining capacity of active sewage sludge unit, in dry metric tons:\_\_\_\_\_ dry metric tons i. (MM/DD/VVVV)

|         | Anticipated closure date for active sewage studge unit, if known(WM/DD/11111)                               |
|---------|---|
|         | Provide with this application a copy of any closure plan developed for this active sewage sludge unit.      |
| Sewas   | e Sludge from Other Facilities.   |
| Is sew  | age sludge sent to this active sewage sludge unit from any facilities other than yours?YesNo                |
| If yes. | provide the following information for each such facility, attach additional sheets as necessary.            |
| a.      | Facility name:  |
| b.      | Facility contact:   |
|         | Title:  |
|         | Phone: ( )  |
| c.      | Mailing address.  |
|         | Street or P.O. Box:   |
|         | City or Town: State: Zip:   |
| d.      | List, on this form or an attachment, the facility's VPDES permit number as well as the numbers of all other |
|         | federal, state or local permits that regulate the facility's sewage sludge management practices:            |
|         | Permit Number: Type of Permit:  |
|         |   |
|         | . <del>11 • • • • • • • • • • • • • • • • • •</del>   |

Which class of pathogen reduction is achieved before sewage sludge leaves the other facility?

Neither or unknown

Describe, on this form or on another sheet of paper, any treatment processes used at the other facility to

Class B

reduce pathogens in sewage sludge:

2.

e.

f.

| FAC | TY NAME: Coeburn-Norton-Wise Regional Wastewater Treatment Plant VPDES PERMIT NUMBER: VA g. Which vector attraction reduction option is achieved before sewage sludge leaves the other facility?  Option 1 (Minimum 38 percent reduction in volatile solids)  Option 2 (Anaerobic process, with bench-scale demonstration)  Option 3 (Aerobic process, with bench-scale demonstration)  Option 4 (Specific oxygen uptake rate for aerobically digested sludge)  Option 5 (Aerobic processes plus raised temperature)  Option 6 (Raise pH to 12 and retain at 11.5)  Option 7 (75 percent solids with no unstabilized solids)  Option 8 (90 percent solids with unstabilized solids)  None or unknown |          |
|-----|--|----------|
|     | h. Describe, on this form or another sheet of paper, any treatment processes used at the other facility to redu vector attraction properties of sewage sludge:   | ce       |
|     | i. Describe, on this form or another sheet of paper, any other sewage sludge treatment activities performed the other facility that are not identified in e - h above:   | by       |
| 3.  | Vector Attraction Reduction.  a. Which vector attraction reduction option, if any, is met when sewage sludge is placed on this active sewa sludge unit?  Option 9 (Injection below land surface)  Option 10 (Incorporation into soil within 6 hours)  Option 11 (Covering active sewage sludge unit daily)   | ge       |
|     | b. Describe, on this form or another sheet of paper, any treatment processes used at the active sewage sludge unit to reduce vector attraction properties of sewage sludge:  | e e      |
| 4.  | Ground Water Monitoring.  a. Is ground water monitoring currently conducted at this active sewage sludge unit or are ground water monitoring data otherwise available for this active sewage sludge unit?YesNo If yes, provide a copy of available ground water monitoring data. Also provide a written description of the well locations, the approximate depth to ground water, and the ground water monitoring procedures used obtain these data.   | he<br>to |
|     | <ul> <li>b. Has a ground water monitoring program been prepared for this active sewage sludge unit? YesNo If yes, submit a copy of the ground water monitoring program with this application.</li> <li>c. Have you obtained a certification from a qualified ground water scientist that the aquifer below the active sewage sludge unit has not been contaminated?YesNo</li> <li>If yes, submit a copy of the certification with this application.</li> </ul>   | <b>;</b> |
| 5.  | Site-Specific Limits.  Are you seeking site-specific pollutant limits for the sewage sludge placed on the active sewage sludge unit? YesNo If yes, submit information to support the request for site-specific pollutant limits with this applicat   | ion.     |